

PROFESSIONAL INFORMATION

SCHEDULING STATUS: **S0**

Category D: Complementary medicine.

Discipline: Health Supplement

34.12 Multiple substance formulation

PROPRIETARY NAME, STRENGTH, PHARMACEUTICAL FORM -

ULTRACLEAR PLUS[®], 400 g, 860 g & 1,2 kg Powder COMPOSITION

Each one (1) scoop (32 g) of ULTRACLEAR PLUS[®] contains the following actives:

Rice Protein	5 g
Magnesium citrate (providing elemental magnesium 100 mg)	869,5 mg
Glycine	800 mg
Dipotassium phosphate (providing elemental potassium 182,85 mg and elemental phosphorus 77,3 mg)	415,5 mg
Calcium Citrate (providing elemental calcium 69,5 mg)	339 mg
L-Lysine (as L-lysine HCl)	252,5 mg
Vitamin C (as ascorbic acid)	150 mg
L-Threonine	142,5 mg
L-Alanine	117,5 mg
DL-Methionine	85 mg
Dicalcium phosphate (providing elemental calcium 21,05 mg and elemental phosphorus 16,25 mg)	71,35 mg
L-Glutamine	50 mg
L-Cysteine (as L-cysteine HCl)	42,5 mg
Vitamin B5 (as calcium D-pantothenate)	18 mg
Vitamin E (as α -tocopheryl acetate)	14,05 mg
Decaffeinated Green Tea (Camellia sinensis) [Leaf Extract standardized to 60% (7,5 mg) catechins and 40% (5 mg) epigallocatechin gallate (EGCG)]	12,5 mg
Magnesium sulphate (providing elemental magnesium 2,5 mg and sulphate 10 mg)	12,5 mg
Zinc (as zinc gluconate)	5 mg
Vitamin B3 (as niacinamide)	4,75 mg
Vitamin B6 (as pyridoxine HCl)	1,7 mg
Vitamin B1 (as Thiamine HCl)	1 mg
Vitamin B2 (as Riboflavin)	1 mg
Copper (as copper gluconate)	0,5 mg
Iron (as ferrous fumarate)	0,25 mg
Vitamin A (as beta-carotene)	600 mcg
Vitamin A (as retinyl palmitate)	150 mcg
Vitamin H (as Biotin)	67,5 mcg
Folate (as calcium L-5-methyltetrahydrofolate)	40 mcg
Potassium iodide (providing elemental iodine 26,5 mcg)	34,65 mcg
Chromium (as chromium picolinate)	25 mcg
Vitamin B12 (as Methylcobalamin)	1,8 mcg
Vitamin D (as cholecalciferol) (17,5 I.U.)	0,4 mcg

Inactive Ingredients: Guar gum, natural flavours, olive oil, potassium bicarbonate, potassium chloride, rosemary extract, silicon dioxide, sodium chloride, xanthan gum.

Contains Sugar: Fructose 6,19 g

Contains Sweetener: Rice syrup solids 5,29 g

This product is gluten & dairy free and is non-GMO.

PHARMACOLOGICAL CLASSIFICATION - Complementary Medicine

INDICATION & PHARMACOLOGICAL ACTION

ULTRACLEAR PLUS[®] is formulated to provide enhanced, specialized support for balanced metabolic detoxification, including macro and micronutrients to address liver function.

CONTRA INDICATIONS:

If you are taking any chronic medication, do not use this product without consulting your healthcare professional. Do not take ULTRACLEAR PLUS[®] if you are hypersensitive (allergic) to any of the ingredients. If you have allergies, be sure to check with your healthcare professional before taking this supplement.

Surgery: Stop taking ULTRACLEAR PLUS[®] at least two weeks before scheduled surgery. **Antibiotics:** Take your antibiotics 2 hours before or after taking ULTRACLEAR PLUS[®]. **Laboratory tests:** Active ingredients in ULTRACLEAR PLUS[®] may alter the results of tests. Please tell your healthcare practitioner that you are taking ULTRACLEAR PLUS[®] before having any laboratory tests.

INTERACTIONS

Always tell your healthcare professional if you are taking any other medicine. It is possible that exposure of certain supplement ingredients may interfere with certain medications. (See **Warnings & Special precautions**)



DOSAGE AND DIRECTIONS FOR USE

Adults: Blend, shake, or briskly stir 1 scoop (32 g) into 240 ml of water daily or as directed by your healthcare practitioner.

Do not take more than the recommended dose.

KNOWN SYMPTOMS OF OVER DOSAGE AND PARTICULARS OF ITS TREATMENT

See side-effects. **Treatment:** Discontinue use and consult your doctor, pharmacist or other healthcare professional for advice.

WARNING AND SPECIAL PRECAUTIONS

Should you have any of the following diagnosed conditions, consult with your healthcare professional before use: Bleeding disorders, Heart disease, Diabetes, Head and neck cancer, Weak and brittle bones (osteoporosis), Prostate cancer, An inherited eye condition that causes poor night vision and loss of side vision (retinitis pigmentosa), Stroke, Liver disease, Post-surgical stent placement, Weight loss surgery, Procedures to widen narrowed arteries (angioplasty), Seizure disorder. If you are taking the following medication, please consult with your healthcare professional before taking: Medications changed by the liver, Medications for cancer (Chemotherapy), blood clotting (Anticoagulant / Antiplatelet drugs), Warfarin (Coumadin), Antibiotics (Tetracycline antibiotics), Amiodarone (Cordaron), Phenobarbital (Luminal), Medications for high blood pressure (antihypertensive drugs), 5-Fluorouracil, Medications for diabetes (Antidiabetes drugs) If any of the following happens, stop using ULTRACLEAR PLUS[®] and tell your doctor or go to the casualty department at your nearest hospital: Allergic reactions – rash, itching/swelling (especially of the face / tongue / throat), severe dizziness, trouble breathing; These are all very serious effects. If you have them, you may have had a serious reaction to ULTRACLEAR PLUS[®]. You may need urgent medical attention or hospitalisation.

Side effects that usually do not require medical attention (report to your healthcare professional if they continue): nausea/vomiting. These are all very serious effects. If you have them, you may have had a serious reaction to ULTRACLEAR PLUS[®]. You may need urgent medical attention or hospitalisation. Seek advice from a healthcare professional if you have any medical condition. Discontinue use immediately should any adverse reaction occur. Read this leaflet carefully because it contains important information for you. This product is available without a doctor's prescription.

- Keep this leaflet. You may need to read it again.
- Do not share medication with any other person.
- Ask your pharmacist if you need more information or advice.
- You must consult a doctor should your condition worsen or does not improve.

DO NOT USE THIS PRODUCT:

- If you are hypersensitive (allergic) to any of the ingredients listed.
- Do not accept this package if seals are broken.

STORAGE INSTRUCTION

Store in a cool, dark place, below 25 °C. Protect from direct sunlight and heat. Store in the original bottle. Keep the bottle tightly closed.

Replace the protective cap after each use. Do not use after the expiry date stated on the bottle. Do not use ULTRACLEAR PLUS[®] if you notice visible signs of deterioration.

IDENTIFICATION - Fine, light tan powder.

PRESENTATION

840 g: A white 1,75L HDPE jar with a white cap, induction seal, tamper shrink seal.

1,2 kg: A white 2L HDPE jar with a white cap, induction seal, tamper shrink seal.

SIDE EFFECTS

Should your general health worsen, or if you experience any untoward effects while being exposed to this product, please consult your doctor, pharmacist or other healthcare professional for advice.

NAME AND BUSINESS ADDRESS OF APPLICANT

Distributed by: Amipro Advanced Development Products (Pty) Ltd Unit 3, Eastgate Business Park, 1 South Road, Eastgate Extension, Sandton, 2146, Tel: 011-802-8101

Ingredients	Uses for ingredient
Rice Protein	Provides a plant-based source of essential amino acids for muscle repair and overall protein intake.
Magnesium citrate	Supports muscle function, energy production, and bone health.
Glycine	Promotes collagen synthesis, supports sleep, and enhances detoxification.
Dipotassium phosphate	Provides potassium and phosphorus for electrolyte balance and energy metabolism.
Calcium Citrate	Supports bone health and aids in maintaining proper nerve and muscle function.
L-Lysine (as L-lysine HCl)	Supports collagen production and enhances calcium absorption.
Vitamin C (as ascorbic acid)	Boosts immune function, promotes skin health, and acts as an antioxidant.
L-Threonine	Aids in protein synthesis and supports healthy connective tissues.
L-Alanine	Provides energy for muscles and supports glucose metabolism.
DL-Methionine	Supports liver detoxification and is a precursor to essential antioxidants.
Dicalcium phosphate	Supplies calcium and phosphorus for bone and dental health.
L-Glutamine	Supports gut health, immune function, and muscle recovery.
L-Cysteine (as L-cysteine HCl)	Promotes antioxidant production (e.g., glutathione) and detoxification.
Vitamin B5 (as calcium D-pantothenate)	Supports energy metabolism and adrenal function.
Vitamin E (as α -tocopheryl acetate)	Acts as an antioxidant, protecting cells from oxidative stress.
Decaffeinated Green Tea (Camellia sinensis)	Provides antioxidants (catechins and EGCG) that support metabolic health and protect against free radicals.
Magnesium sulphate	Supports muscle relaxation and electrolyte balance.

Ingredients	Uses for ingredient
Zinc (as zinc gluconate)	Boosts immune function, supports wound healing, and maintains healthy skin.
Vitamin B3 (as niacinamide)	Promotes energy production and supports skin and nervous system health.
Vitamin B6 (as pyridoxine HCl)	Supports neurotransmitter synthesis and red blood cell production.
Vitamin B1 (as Thiamine HCl)	Supports energy metabolism and healthy nerve function.
Vitamin B2 (as Riboflavin)	Promotes energy production and acts as an antioxidant.
Copper (as copper gluconate)	Supports iron metabolism, collagen formation, and antioxidant enzyme function.
Iron (as ferrous fumarate)	Essential for oxygen transport in the blood and energy production.
Vitamin A (as beta-carotene)	Acts as an antioxidant and supports vision, skin, and immune health.
Vitamin D (as retinyl palmitate)	Supports vision, immune function, and skin health.
Vitamin H (as Biotin)	Promotes healthy hair, skin, and nails, and supports energy metabolism.
Folate (as calcium L-5-methyltetrahydrofolate)	Supports DNA synthesis, cell division, and red blood cell formation.
Potassium iodide	Supports thyroid function and regulates metabolism.
Chromium (as chromium picolinate)	Enhances insulin sensitivity and supports blood sugar regulation.
Vitamin B12 (as Methylcobalamin)	Supports nerve function, red blood cell production, and energy metabolism.
Vitamin D (as cholecalciferol)	Promotes calcium absorption, bone health, and immune function.

REGISTRATION NUMBER - To be allocated by SAHPRA upon registration. This medicine has not been evaluated by SAHPRA for quality, safety, or intended use.

DATE OF PUBLICATION - To be allocated by the regulatory authority. Document reference: UCP.Pi.V1 01-25

PROFESSIELE INLICHTINGSBLAD

SKEDULERINGSTATUS: **S0**

Kategorie D: Komplementêre medisyne.

Displinsie: Gesondheidsaanvulling

34.12 Meervoudige Bestanddeel Formulasie

HANDELSNAAM EN DOSEERVORM,

ULTRACLEAR PLUS[®], 400 g, 860 g & 1,2 kg poeier

FARMAKOLOGIESE KLASSIFIKASIE - Komplementêre medisyne

AANDUIDING EN FARMAKOLOGIESE WERKING

ULTRACLEAR PLUS[®] is 'n reformuleer om verbeterde, gespesialiseerde ondersteuning te bied vir gebalanseerde metaboliese ontgifting, insluitend makro- en mikrovoedingstowwe om lewerfunksie aan te spreek.

KONTRA-INDIKASIES:

As jy enige chroniese medisyne neem, moenie hierdie produk gebruik sonder om jou gesondheidsorgpraktisyn te raadpleeg nie. Moenie **ULTRACLEAR PLUS[®]** neem as jy hipersensitief (allergies) is vir enige van die bestanddele nie. As jy allergiese het, maak seker dat jy met jou gesondheidsorgpraktisyn gaan voordat jy hierdie aanvulling neem. **Chirurgie:** Hou op om **ULTRACLEAR PLUS[®]** ten minste twee weke voor die geskeduleerde operasie te neem. **Antibiotika:** Neem jou antibiotika 2 ure voor of na die neem van **ULTRACLEAR PLUS[®]**.

Laboratoriumtoets: Aktiewe bestanddele in **ULTRACLEAR PLUS[®]** kan die resultate van toets verander. Vertel asseblief jou gesondheidsorgpraktisyn dat jy **ULTRACLEAR PLUS[®]** neem voordat jy enige laboratoriumtoets ondergaan.

INTERAKSIES Vertel altyd jou gesondheidsorgpraktisyn as jy enige ander medisyne gebruik. Dit is moontlik dat blootstelling van sekere aanvullingsbestanddele met sekere medisyne 'n interaksie mag hê. (Sien **Waarskuwings en Spesiale voorsorgmaatreëls**)

DOSES EN AANWYSINGS VIR GEBRUIK

Volwasse: Meng, skud of roer 1 lepel (32 g) daagliks in 240 ml water of soos voorgeskryf deur jou gesondheidsorgpraktisyn.

Moenie meer as die aanbevole dosis neem nie.

SAMESTELING

En (1) skep (32 g) van **ULTRACLEAR PLUS[®]** bevat die volgende aktiewe stowwe:

Rys proteien	5 g
Magnesiumsitraat (verskaffing van elementêre magnesium 100 mg)	869,5 mg
Gliisien	800 mg
Dikaliumfosfaat (wat elementêre kalium 182,85 mg en elementêre fosfor 77,3 mg verskaf)	415,5 mg
Kalsiumsitraat (verskaf elementêre kalsium 69,5 mg)	339 mg
L-lyisien (as L-lyisien HCl)	252,5 mg
Vitamiën C (as askorbiensuur)	150 mg
L-Threonine	142,5 mg
L-alanien	117,5 mg
DL-metionien	85 mg
Dikalsiumfosfaat (wat elementêre kalsium 21,05 mg en elementêre fosfor 16,25 mg verskaf)	71,35 mg
L-glutamiën	50 mg
L-sisteien (as L-sisteien HCl)	42,5 mg
Vitamiën B5 (as kalsium D-pantothenaat)	18 mg
Vitamiën E (as d-alfa-tokoferiëlaetaat)	14,05 mg
Kafeïenrye groen tee (Camellia sinensis) [Blaarekstrak gestandaardiseer tot 60% (7,5 mg) katekine en 40% (5 mg) epigallocatechin gallate (EGCG)]	12,5 mg
Magnesiumsulfaat (verskaf elementêre magnesium 2,5 mg en sulfaat 10 mg)	12,5 mg
Sink (as sinkglukonaat)	5 mg
Vitamiën B3 (as niacinamide)	4,75 mg
Vitamiën B6 (as piridoksiën HCl)	1,7 mg
Vitamiën B1 (as tiamien HCl)	1 mg
Vitamiën B2 (as riboflaviën)	1 mg
Koper (as koperglukonaat)	0,5 mg
Yster (as ysterhoudende fumarate)	0,25 mg
Vitamiën A (as beta-karoteen)	600 mcg
Vitamiën A (as retinylpalmitaat)	150 mcg
Vitamiën H (as biotien)	67,5 mcg
Folaat (as kalsium L-5-metieltehtetrahidrofolaat)	40 mcg
Kaliumjodid (verskaffing van elementêre jodium 26,5 mcg)	34,65 mcg
Chroom (as chroompikolinaat)	25 mcg
Vitamiën B12 (as metielkobalamien)	1,8 mcg
Vitamiën D (as cholecalciferol) (17,5 IE)	0,4 mcg

Onaktiewe bestanddele: Guargom, natuurlike geure, olyfolie, kalium bikarbonaat, kaliumchlorid, roosmaryn uittreksel, silikondiosiek, natrium chlorid, kantangom. **Bevat suiker: Frukose 6,19 g. Bevat versoeter: Rysstroop vaste stowwe 5,29 g. Hierdie produk is gluten- en suiwelrye en is nie-GMO.**

Bestanddele	Gebruik vir bestanddele
Rys proteien	Verskaf 'n plantgebaseerde bron van essensiële aminosure vir spierherstel en algehele proteïenname.
Magnesium sitraat	Ondersteun spierfunksie, energiewinning en bevoeding.
Gliisien	Bevoerdert kollageensintese, ondersteun slaap en verhoog ontgifting.
Dikaliumfosfaat	Verskaf kalium en fosfor vir elektrolietbalans en energiemetabolisme.
Kalsium sitraat	Ondersteun beengesondheid en help om behoorlike senuwee- en spierfunksie te handhaaf.
L-lyisien (as L-lyisien HCl)	Ondersteun kollageenproduksie en verhoog kalsiumabsorpsie.
Vitamiën C (as askorbiensuur)	Verhoog immuunfunksie, bevorder velgesondheid en dien as 'n antioksidant.
L-Threonine	Help met proteïensintese en ondersteun gesonde binnewesele.
L-alanien	Verskaf energie vir spiere en ondersteun glukosemetabolisme.
DL-metionien	Ondersteun lewerontgifting en is 'n voorloper van noodsaaklike antioksidante.
Dikalsiumfosfaat	Verskaf kalium en fosfor vir been- en tandhekkundige gesondheid.
L-glutamiën	Ondersteun dermsgeondheid, immuunfunksie en spierherstel.
L-sisteien (as L-sisteien HCl)	Bevoerdert antioksidantproduksie (bv. glutathion) en ontgifting.
Vitamiën B5 (as kalsium D-pantothenaat)	Ondersteun energiemetabolisme en bytiefunksie.
Vitamiën E (as d-alfa-tokoferiëlaetaat)	Dien as 'n antioksidant, wat selle beskerm teen oksidatiewe stres.

WAARSKUWING EN SPESIALE VOORSORGMAATREËLS

Indien jy enige van die volgende gedagnoseerde toestande het, raadpleeg jou gesondheidsorgpraktisyn voor gebruik: bloedingsversteuring, hartsiekte, diabetes, kop- en nekkanter, swak en bros bene (osteoporose), prostaatkanker, 'n oorgeërfde oogtoestand wat swak nagsig en verlies aan visie (retinits pigmentosa) veroorsaak, beroerte, lewersiekte, post-chirurgiese stentplasing, Gewissvleischirurgie, prosedures om veroude are (angioplastie) te verbreed, beslagleggingsversteuring.

As jy die volgende medisyne neem, raadpleeg asseblief jou gesondheidsorgpraktisyn voordat jy neem: medisyne vir kanker (Chemoterapie), bloestofling (Antikoagulant / Antiplaatjie-middels), Warfarin (Coumadin), Antibiotika (Tetrasiel antibiotika), Amiodarone (Cardorane), Fenobarbital (Luminal), medisyne vir bloeddruk (antihypertensiewe middels), 5-Fluorouracil, medisyne vir diabetes (Antidiabetes dwelms). As enige van die volgende gebeur, hou op om **ULTRACLEAR PLUS[®]** te gebruik en vertel jou dokter of gaan na die ongevallende afdeling by jou naaste hospitaal: Allergiese reaksies- uitslag, jeuk / swelling (veral van die gesig / tong / keel), erge duiseligheid, probleme met asemhaling;

Dit is alles baie ernstige gevolge. As jy dit het, het jy dalk 'n ernstige reaksie op **ULTRACLEAR PLUS[®]** gehad. Jy sal dalk dringende mediese hulp of hospitalisasie nodig hê. Nieuwe-effekte wat gewoonlik nie mediese hulp benodig nie (rapporteer aan jou gesondheidsorgpraktisyn as hulle voortduur): naarheid / braking. Dit is alles baie ernstige gevolge. As u dit het, het u moontlik 'n ernstige reaksie op **ULTRACLEAR PLUS[®]** gehad. Miskien het u dringende mediese hulp of hospitalisasie nodig.

Raadpleeg 'n gesondheidsorgpraktisyn as u enige mediese toestand het. Staak gebruik onmiddellik indien enige nadelige reaksie plaasvind. Lees hierdie inligtingsblad aandagtig deur, want dit bevat belangrike inligting vir u. Hierdie produk is beskikbaar sonder doktersvoorskrif.

- Hou hierdie inligtingsblad. Miskien moet u dit weer lees.
- Moenie medisyne met enige ander persoon deel nie.
- Vra jou apteker of jy meer inligting of advies benodig.
- Jy moet 'n dokter raadpleeg indien jou toestand vererger of nie verbeter nie.

MOENIE HIERDIE PRODUK GEBRUIK NIE:

- As jy hipersensitief (allergies) is vir enige van die bestanddele wat gelyk word.
- Jy moet nie hierdie produk aanvaar as seëls gebreek word nie.

NEWE-EFFEKTE

Indien jou algemene gesondheid vererger of as jy enige nadelige effekte ervaar tydens die gebruik van hierdie medisyne, raadpleeg asseblief jou dokter, apteker of ander gesondheidsorgpraktisyn vir raad. As jy enige nuwe-effekte sien wat nie in hierdie inligtingsblad genoem word nie, stel asseblief jou dokter, apteker of gesondheidsorgpraktisyn in kennis.

BEKENEDE SIMPTOME VAN OORDOSEERING EN BESONDERHEDE VAN DIE BEHANDELING DAARVAN

Sien newe-effekte.

BERGING INSTRUKSIE

Bêre in 'n koel, donker plek, onder 25 °C. Beskerm teen direkte sonlig en hitte.

Bêre n die oorspronklike bottel. Hou die bottel styf toe. Vervang die beskermdede dop na elke gebruik. Moet nie gebruik word na die vervaldatum wat op die bottel aangedui word nie. Moenie **ULTRACLEAR PLUS[®]** gebruik as u sigbare tekens van agteruitgang opmerk nie.

IDENTIFIKASIE

Fyn, ligte bruin poeier.

AANBIEDING

840 g: 'n Wit 1,75L HDPE-pot met 'n wit dop, induksiesêël, peuterkrimpseël.

1,2 kg: 'n Wit 2L HDPE-pot met 'n wit dop, induksiesêël, peuterkrimpseël.

REGISTRASIE NOMMER

Om by registrasie deur SAHPRA toegeen te word.

Hierdie medisyne is nie deur SAHPRA geëvalueer vir kwaliteit, veiligheid of beoogde gebruik nie.

Bestanddele	Gebruik vir bestanddele
Sink (as sinkglukonaat)	Verhoog immuunfunksie, ondersteun wondgenesing en handhaaf 'n gesonde vel.
Vitamiën B3 (as niacinamide)	Bevoerdert energiewinning en ondersteun die gesondheid van die vel en senuwesele.
Vitamiën B6 (as piridoksiën HCl)	Ondersteun neurotransmitter sintese en rooilboedselproduksie.
Vitamiën B1 (as tiamien HCl)	Ondersteun energiemetabolisme en gesonde senuwefunksie.
Vitamiën B2 (as riboflaviën)	Bevoerdert energiewinning en dien as 'n antioksidant.
Koper (as koperglukonaat)	Ondersteun ystermetabolisme, kollageenvorming en antioksidante ensiemfunksie.
Yster (as ysterhoudende fumarate)	Noodsaaklik vir suurstofvervoer in die bloed en energiewinning.
Vitamiën A (as beta-karoteen)	Dien as 'n antioksidant en ondersteun visie, vel en immuungesondheid.
Vitamiën A (as retinylpalmitaat)	Ondersteun visie, immuunfunksie en velgesondheid.
Vitamiën H (as biotien)	Bevoerdert gesonde hare, vel en naels, en ondersteun energiemetabolisme.
Folaat (as kalsium L-5-metieltehtetrahidrofolaat)	Ondersteun DNA-sintese, seldeling en rooilboedselvorming.
Kaliumjodid	Ondersteun skildklierfunksie en regulêre metabolisme.
Chroom (as chroompikolinaat)	Verhoog insulien sensitiwiteit en ondersteun bloedsuikerregulering.
Vitamiën B12 (as metielkobalamien)	Ondersteun senuwefunksie, rooilboedselproduksie en energiemetabolisme.
Vitamiën D (as cholecalciferol)	Bevoerdert kalsiumabsorpsie, beengesondheid en immuunfunksie.

NAAM EN GESONDHEIDSDRAGERS VAN APPLIKANT

Versprei deur:

Amipro Advanced Development Products (Pty) Ltd

Unit 3, Eastgate Business Park, 1 South Road,

Eastgate Extension, Sandton, 2146, Tel: 011- 802-8101

DATUM VAN PUBLIKASIE - Om deur die regulerende owerheid toegeken te word.

