

PROFESSIONAL INFORMATION

SCHEDULING STATUS: **S0**

Category D: Complementary medicine.

Discipline: Discipline Specific

33.7 Combination Product

PROPRIETARY NAME, STRENGTH, PHARMACEUTICAL FORM -

ULTRAINFLAMX™, 643 g Powder

COMPOSITION

Each three (3) scoops of ULTRAINFLAMX™ contains the following actives:

Rice protein	7500 mg	L-Threonine	35 mg
Pea protein	7500 mg	Vitamin B3 (Niacinamide)	35 mg
L-Glutamine	1500 mg	Vitamin E (as D-alpha-tocopheryl acetate)	30 mg
Quercetin	200 mg	Hop strobilus (<i>Humulus lupulus L.</i>) [4:1 extract]	10 mg
Rutin	200 mg	Zinc (as Zinc bisglycinate)	10 mg
Vitamin C (as Ascorbic acid)	160 mg	Vitamin B5 (as Calcium pantothenate)	6 mg
Ginger (<i>Zingiber officinale Rosc.</i>) [Rhizome extract]	150 mg	Vitamin B6 (as Pyridoxal-5-phosphate)	2,8 mg
Turmeric (<i>Curcuma longa L.</i>) [Root extract]	150 mg	Vitamin B1 (as Thiamine hydrochloride)	2 mg
White willow (<i>Salix alba L.</i>) [Bark extract]	125 mg	Vitamin B2 (as Riboflavin)	1,4 mg
Calcium (as Calcium citrate) 120 mg	100 mg	Vitamin A (as Beta-carotene)	800 µg
Rosemary (<i>Rosmarinus officinalis L.</i>) [Leaf extract]	100 mg	Vitamin H (as Biotin)	150 µg
Boswellia (<i>Boswellia serrata Roxb. Ex Colebr.</i>) [Rhizome 5:10 extract]	100 mg	Folate (as Calcium-L-methylfolate)	150 µg
L-Cysteine (as N-Acetyl-L-cysteine)	100 mg	Chromium (as Chromium picolinate)	80 µg
Magnesium (as Magnesium glycerophosphate)	75 mg	Selenium (as L-selenomethionine)	55 µg
Citrus bioflavonoids	75 mg	Molybdenum (as Sodium molybdate)	50 µg
Green tea (<i>Camellia sinensis L.</i>) [Kuntze] [Leaf extract]	50 mg	Vitamin D (as Cholecalciferol)	12,5 µg (500 I.U.)
		Vitamin B12 (as Methylcobalamin)	2,5 µg

Inactive Ingredients: Apple Fibre (*Malus domestica*), bamboo extract (*Bambusa vulgaris* Schrad.), dicalcium phosphate, dipotassium phosphate, flavour, guar gum, kemp flavour, magnesium carbonate, medium chain triglycerides, potassium citrate, olive oil (*Olea Europaea*), rice syrup powder.

Contains Sweetener: Stevia (25 mg) **CONTAINS CAFFEINE**

This product is suitable for vegetarians, soy & dairy free and is non-GMO.

PHARMACOLOGICAL CLASSIFICATION - Complementary Medicine

INDICATION & PHARMACOLOGICAL ACTION

ULTRAINFLAMX™ offers functional nutrition with a blend of rice and pea protein, alongside carefully selected vitamins, minerals and herbs with anti-inflammatory properties that support the reduction of inflammation, and the promotion of healthy gut function. It contains a powerful blend of antioxidants, which protect cells from oxidative damage and selected herbs that contribute to healthy muscles and joints and are also protective and soothing to the digestive tract.

CONTRA INDICATIONS:

If you are taking any chronic medication, do not use this product without consulting your healthcare professional. Do not take ULTRAINFLAMX™ if you are hypersensitive (allergic) to any of the ingredients. If you have allergies, be sure to check with your healthcare professional before taking this supplement. **Surgery:** Stop taking ULTRAINFLAMX™ at least two weeks before scheduled surgery. **Antibiotics:** Take your antibiotics 2 hours before or after taking ULTRAINFLAMX™. **Laboratory tests:** Active ingredients in ULTRAINFLAMX™ may alter the results of tests. Please tell your healthcare practitioner that you are taking ULTRAINFLAMX™ before having any laboratory tests.

DOSE AND DIRECTIONS FOR USE

Adults: Take one (1) serving (3 scoops) mixed with 300 ml of cold water daily or as directed by your healthcare practitioner. **Do not take more than the recommended dose.**

Ingredients	Uses for ingredient
Rice protein	Provides essential amino acids to support muscle repair and overall nutrition.
Pea protein	Supports muscle growth, weight management, and safety.
L-Glutamine	Aids in gut health, immune function, and muscle recovery.
Quercetin	Provides antioxidant support and helps reduce inflammation.
Rutin	Strengthens blood vessels and supports vascular health.
Vitamin C (as Ascorbic acid)	Supports immune function and collagen synthesis.
Ginger (<i>Zingiber officinale Rosc.</i>)	Helps with digestive health and reduces nausea.
Turmeric (<i>Curcuma longa L.</i>)	Provides anti-inflammatory and antioxidant benefits.
White willow (<i>Salix alba L.</i>)	Offers natural pain relief and anti-inflammatory effects.
Calcium (as Calcium citrate)	Supports bone health and muscle function.
Rosemary (<i>Rosmarinus officinalis L.</i>)	Provides antioxidant support and aids digestion.
Boswellia (<i>Boswellia serrata Roxb. Ex Colebr.</i>)	Reduces inflammation and supports joint health.
L-Cysteine (as N-Acetyl-L-cysteine)	Acts as an antioxidant and supports detoxification.
Magnesium (as Magnesium glycerophosphate)	Aids in energy production, muscle relaxation, and nerve function.
Citrus bioflavonoids	Enhance antioxidant activity and support capillary health.
Green tea (<i>Camellia sinensis L.</i>) [Kuntze]	Provides antioxidants and supports metabolism.

REGISTRATION NUMBER - To be allocated by SAHPRA upon registration. This medicine has not been evaluated by SAHPRA for quality, safety, or intended use.

Document reference: U1FLX.P1V1 01-25



KNOWN SYMPTOMS OF OVER DOSAGE AND PARTICULARS OF ITS TREATMENT

See side-effects. **Treatment:** Discontinue use and consult your doctor, pharmacist or other healthcare professional for advice.

WARNING AND SPECIAL PRECAUTIONS

Contains stevia which may have an effect on the glycaemic control of patients with diabetes mellitus. Consult a registered healthcare professional if you are taking any other medicine (such as lithium) including chronic, complementary, or traditional medicines; or have high blood pressure, glaucoma, and/or detrusor instability (overactive bladder syndrome). Consumption with other medicines (e.g. bitter orange extract, synephrine, octopamine, ephedra, ephedrine) which increase blood pressure is not recommended. Use of caffeine may result in sleep deprivation. Consumption with other caffeine-containing products or foods (e.g. medications, coffee, tea, colas, cocoa, guarana, maté) is not recommended. Should you have any of the following diagnosed conditions, consult with your healthcare professional before use: Bleeding disorders, Heart disease, Diabetes, Head and neck cancer, Weak and brittle bones (osteoporosis), Prostate cancer, An inherited eye condition that causes poor night vision and loss of side vision (retinitis pigmentosa), Stroke, Liver disease, Post-surgical stent placement, Weight loss surgery, Procedures to widen narrowed arteries (angioplasty), Seizure disorder. If you are taking the following medication, please consult with your healthcare professional before taking: Medications changed by the liver, Medications for cancer (Chemotherapy), blood clotting (Anticoagulant / Antiplatelet drugs), Warfarin (Coumadin), Antibiotics for Cancer (Antitumor Antibiotics), Antibiotics (Tetracycline antibiotics, Amiodarone (Cordarone), Phenobarbital (Luminal), Medications for high blood pressure (antihypertensive drugs), 5-Fluorouracil, Medications for diabetes (Antidiabetic drugs) If any of the following happen, stop using ULTRAINFLAMX™ and tell your doctor or go to the casualty department at your nearest hospital: Allergic reactions—rash, Itching/swelling (especially of the face / tongue / throat), severe dizziness, trouble breathing: These are all very serious effects. If you have them, you may have had a serious reaction to ULTRAINFLAMX™. You may need urgent medical attention or hospitalisation.

Side effects that usually do not require medical attention (report to your healthcare professional if they continue): nausea/vomiting. These are all very serious effects. If you have them, you may have had a serious reaction to ULTRAINFLAMX™. You may need urgent medical attention or hospitalisation. Seek advice from a healthcare professional if you have any medical condition. Discontinue use immediately should any adverse reaction occur. Read this leaflet carefully because it contains important information for you. This product is available without a doctor's prescription.

- Keep this leaflet. You may need to read it again.
 - Do not share medication with any other person.
 - Ask your pharmacist if you need more information or advice.
 - You must consult a doctor should your condition worsen or does not improve.
- DO NOT USE THIS PRODUCT:
- If you are hypersensitive (allergic) to any of the ingredients listed.
 - Do not accept this package if seals are broken.

STORAGE INSTRUCTION

Store in a cool, dark place, below 25 °C. Protect from direct sunlight and heat. Store in the original bottle. Keep the bottle tightly closed.

Replace the protective cap after each use. Do not use after the expiry date stated on the bottle. Do not use ULTRAINFLAMX™ if you notice visible signs of deterioration.

IDENTIFICATION - Bright yellow, fine powder.

PRESENTATION - A white 1,74 HDPE jar with a white cap, induction seal, tamper shrink seal, wadding and silica gel sachet.

SIDE EFFECTS - Should your general health worsen, or if you experience any untoward effects while being exposed to this product, please consult your doctor, pharmacist or other healthcare professional for advice.

INTERACTIONS

Always tell your healthcare professional if you are taking any other medicine. It is possible that exposure of certain supplement ingredients may interfere with certain medications. (See Warnings & Special precautions)

Ingredients	Uses for ingredient
L-Threonine	Supports protein synthesis and tissue repair.
Vitamin B3 (Niacinamide)	Promotes skin health and energy metabolism.
Vitamin E (as D-alpha-tocopheryl acetate)	Acts as an antioxidant to protect cells from oxidative stress.
Hop strobilus (<i>Humulus lupulus L.</i>)	Aids in relaxation and sleep support.
Zinc (as Zinc bisglycinate)	Supports immune function and wound healing.
Vitamin B5 (as Calcium pantothenate)	Plays a role in energy production and stress response.
Vitamin B6 (as Pyridoxal-5-phosphate)	Supports brain health and neurotransmitter production.
Vitamin B1 (as Thiamine hydrochloride)	Aids in energy metabolism and nervous system function.
Vitamin B2 (as Riboflavin)	Supports energy production and eye health.
Vitamin A (as Beta-carotene)	Promotes vision, skin health, and immune function.
Vitamin H (as Biotin)	Supports healthy skin, hair, and nails.
Folate (as Calcium-L-methylfolate)	Aids in DNA synthesis and red blood cell formation.
Chromium (as Chromium picolinate)	Supports blood sugar regulation and metabolism.
Selenium (as L-selenomethionine)	Provides antioxidant support and thyroid health.
Molybdenum (as Sodium molybdate)	Aids in detoxification and enzyme function.
Vitamin D (as Cholecalciferol)	Supports bone health and immune function.
Vitamin B12 (as Methylcobalamin)	Promotes red blood cell production and nerve function.

DATE OF PUBLICATION - To be allocated by the regulatory authority.

NAME AND BUSINESS ADDRESS OF APPLICANT

Distributed by: Amipro Advanced Development Products (Pty) Ltd
Unit 3, Eastgate Business Park, 1 South Road, Eastgate Extension, Sandton, 2146, Tel: 011-802-8101

PROFESIONELE INLIGTINGSBLAD

SKEDULERINGSSTATUS: S0

Kategorie D: Komplementêre medisyne.

Dissipline: Dissiplinespesifiek

33.7 Kombinasie produk

HANDELSNAAM EN DOSEERVORM,

ULTRAINFLAMX™, 643 g Poer

SAMESTELING

Elke drie (3) skepe van ULTRAINFLAMX™ bevat die volgende aktiewe

stowwe:

Rys proteien	7500 mg	L-Threonine	35 mg
Ertjie-proteien	7500 mg	Vitamiën B3 (Niacinamide)	35 mg
L-glutamiën	1500 mg	Vitamiën E (as D-alfa-tokoferiëlasetaat)	30 mg
Quercetin	200 mg	Hop strobluis (<i>Humulus lupulus L.</i>) [4:1 uittreksel]	10 mg
Rutien	200 mg	Sink (as sinkbisglycinaat)	10 mg
Vitamiën C (as askorbien suur)	160 mg	Vitamiën E (as kalsiumantihenaat)	6 mg
Gemmer (<i>Zingiber officinale</i> Rosc.) [Risoom uittreksel]	150 mg	Vitamiën B6 (as Pyridoxal-5-fosfaat)	2,8 mg
Barrie (<i>Curcuma longa L.</i>) [Wortel uittreksel]	150 mg	Vitamiën B2 (as tiamiendihydrochloried)	2 mg
Wit wilg (<i>Salix alba L.</i>) [Bas uittreksel]	125 mg	Vitamiën B1 (as riboflavin)	1,4 mg
Kalsium (as kalsiumitraat)	100 mg	Vitamiën A (as beta-karoteen)	800 µg
120 mg	100 mg	Vitamiën H (as biotien)	150 µg
Roosmaryn (<i>Rosmarinus officinalis L.</i>) [Blar uittreksel]	100 mg	Folaat (as kalsium-L-metiefolaat)	150 µg
Boswellia (<i>Boswellia serrata Roxb. Ex Colebr.</i>) [Risoom 5:10 uittreksel]	100 mg	Chroom (as chroompikolinaat)	80 µg
L-sisteien (as N-asietiel-L-sisteien)	100 mg	Selenium (as L-selenometionien)	55 µg
Magnesium (as magnesiumliserasfaat)	75 mg	Molibdeen (as natriummolibdaat)	50 µg
Sitrus bioflavonoïede	75 mg	Vitamiën D (as Cholecalciferol)	12,5 µg (500 IE)
Groen tee (<i>Camellia sinensis L.</i>) [Blar uittreksel]	50 mg	Vitamiën B12 (as metielkobalamin)	2,5 µg

Onaktiewe bestanddele: Appelvesel (*Malus domestica*), bamboesekstrak (Bambusa vulgaris Schrad.), dikalsiumfosfaat, dikaliumfosfaat, geur, garnaam, kemle-geur, magnesiumkarbonaat, medumkieting trigliesiede, kalsiumitraat, olyfolie (*Olea Europaea*), rystroopoeier.

Bevat versoeter: Stevia (25 mg) **BEVAT KAFFEÏN**

Hierdie produk is geskik vir vegetêriërs, soja- en suiwelrye en is nie-GGO.

FARMAKOLOGIESE KLASSIFIKASIE - Komplementêre medisyne

AANDUIDING EN FARMAKOLOGIESE WERKING

ULTRAINFLAMX™ bied funksionele voeding met 'n mengsel van rys- en ertjieproteïen, saam met noukeurig geselekteerde vitamiene, minerale en kruie met anti-inflammatoriese eienskappe wat pynverligting ondersteun, verminder inflammasie, en bevorder gesonde dermfunksie. Dit bevat 'n sterk mengsel van antioksidante, wat selle beskerm teen oksidatiewe skade en geselekteerde kruie wat bydra tot gesonde spiere en gewigte en is ook beskermend en strelend vir die spysverteringskanaal.

KONTRA-INDIKASIES:

As jy enige chroniese medisyne neem, moenie hierdie produk gebruik sonder om jou gesondheidsorgpraktisyn te raadpleeg nie. Moenie **ULTRAINFLAMX™** neem as jy hipersensitief (allergies) is vir enige van die bestanddele nie. As jy allergieë het, maak seker dat jy met jou gesondheidsorgpraktisyn gaan voordat jy hierdie aanvulling neem.

Chirurgie: Hou op om **ULTRAINFLAMX™** ten minste twee weke voor die geskeduleerde operasie te neem. **Antibiotika:** Neem jou antibiotika 2 uur voor of na die neem van **ULTRAINFLAMX™**.

Bestanddele	Gebruik vir bestanddeel
Rys proteien	Verskaf essensiële aminosure om spierherstel en algehele voeding te ondersteun.
Ertjie-proteien	Ondersteun spiergroei, gewigsbestuur en versadiging.
L-glutamiën	Hulpmiddels in dermgeseondheid, immuunfunksie en spierherstel.
Quercetin	Bied antioksidantondersteuning en help om inflammasie te verminder.
Rutien	Versterk bloedvate en ondersteun vasculêre gesondheid.
Vitamiën C (as askorbien suur)	Ondersteun immuunfunksie en kollagen sintese.
Gemmer (<i>Zingiber officinale</i> Rosc.)	Help met spysverteringsstelsel en verminder naarheid.
Barrie (<i>Curcuma longa L.</i>)	Bied anti-inflammatoriese en antioksidante voordele.
Wit wilg (<i>Salix alba L.</i>)	Bied natuurlike pynverligting en anti-inflammatoriese effekte.
Kalsium (as kalsiumitraat)	Ondersteun beengeseondheid en spierfunksie.
Roosmaryn (<i>Rosmarinus officinalis L.</i>)	Bied antioksidante ondersteuning en help vertering.
Boswellia (<i>Boswellia serrata Roxb. Ex Colebr.</i>)	Verminder inflammasie en ondersteun gewrigsgeseondheid.
L-sisteien (as N-asietiel-L-sisteien)	Dien as 'n antioksidant en ondersteun ontgifting.
Magnesium (as magnesiumliserasfaat)	Hulpmiddels in energieproduksie, suiwelreëlgeving en senuweefunksie.
Sitrus bioflavonoïede	Verbetert antioksidantkragte en ondersteun kapillêre gesondheid.
Groen tee (<i>Camellia sinensis L.</i>) [Kuntze]	Verskaf antioksidante en ondersteun metabolisme.

BERGING INSTRUKSIE

Bêre in 'n koel, donker plek, onder 25 °C. Beskerm teen direkte sonlig en hitte. Bêre in die oorspronklike bottel. Hou die bottel styf toe. Vervang die beskermende dop na elke gebruik. Moet nie gebruik word na die vervaldatum wat op die bottel aangedui word nie. Moenie **ULTRAINFLAMX™** gebruik as u sigbare tekens van agteruitgang opmerk nie.

IDENTIFIKASIE - Heldergeel, fyn poeier.

AANBIEDING - 'n Wit 1,75L HDPE-houer met 'n wit dop, induksiesêl, peuterkrimpseël.

INTERAKSIES

Vertel altyd jou gesondheidsorgpraktisyn as jy enige ander medisyne gebruik. Dit is moontlik dat blootstelling van sekere aanvullingsbestanddele met sekere medisyne 'n interaksie mag hê. (Sien **Waarskuwings en Spesiale voorsorgmaatreëls**)

DOSES EN AANWYSINGS VIR GEBRUIK

Volwasse: Neem daaglik een (1) porsie (3 lepels) gemeng met 300 ml koue water of soos voorgeskryf deur jou gesondheidsorgpraktisyn. **Moenie meer as die aanbevole dosis neem nie.**

WAARSKUWING EN SPESIALE VOORSORGMAATREËLS

Laboratoriumtoetse: Aktiewe bestanddele in **ULTRAINFLAMX™** kan die resultaat van toetse verander. Vertel asseblief jou gesondheidsorgpraktisyn dat jy **ULTRAINFLAMX™** neem voordat jy enige laboratoriumtoetse ondergaan. Bevat stevia wat 'n effek kan hê op die glukemiese beheer van pasiënte met diabetes mellitus. Raadpleeg 'n geregistreerde gesondheidspraktisyn as jy enige ander medisyne (soos litium) neem, insluitend chroniese, komplementêre of tradisionele medisyne; of hoë bloeddruk, glukoom en/of detrusor-onstabiliteit (oorkatiewe blaasinstroom) het. Verbruik met ander medisyne (bv. bloeder lense uittreksel, synechrine, octopamine, ephedra, efedrine) wat die bloeddruk verhoog, word nie aanbeveel nie. Die gebruik van kafeïen kan lei tot slaaptkort. Verbruik met ander kafeïenbevattende produkte of voedsel (bv. medikasie, koffie, tee, colas, kakao, guarana, maté) word nie aanbeveel nie. Indien jy enige van die volgende gedagnoseerde toestande het, raadpleeg jou gesondheidsorgpraktisyn voor gebruik: bloedingversteuring, hartskietes, diabetes, kop- en nekkanke, swak en brose bene (osteoporose), prostaatkanke, 'n oorgeërfde oogtoestand wat swak nagsig en verlies aan visie (retinitis pigmentosa) veroorsaak, beroerte, lewersiekte, post-chirurgiese stentplasing, Gewigsverlieschirurgie, prosedures om vernoude are (angioplastie) te verbreed, besleggingsversteuring. As jy die volgende medisyne neem, raadpleeg asseblief jou gesondheidspraktisyn voordat jy neem: medisyne vir kanker (Chemoterapie), bloedstolling (Antikoagulant / Antiplaatjie-middels), Warfarin (Coumadin), Antibiotika vir Kanker (Antitumor Antibiotika), Antibiotika (Tetrakisanti antibiotika), Amiodarone (Cardarone), Fenobarbital (Luminal), medisyne vir hoë bloeddruk (antihypertensiewe middels), 5-Fluorouracil, medisyne vir diabetes (Antidiabetes dwelms). As enige van die volgende gebeur, hou op om **ULTRAINFLAMX™** te gebruik en vertel jou dokter of gaan na die ongewone-aandring by jou naaste hospitaal: Allergiese reaksie-uitslag, jeuk / swelling (veral van die gesig / tong / keel), erge duiseligheid, probleme met asemhaling; Jy sal dak dringende mediese hulp of hospitalisasie nodig hê. **Nuwe-effekte** wat gewoonlik nie mediese hulp benodig nie (rapporteer aan jou gesondheidsorgpraktisyn as hulle voortduur): naarheid / braking, Dit is alles baie ernstige gevolge. As u dit het, het u moontlik 'n ernstige reaksie op **ULTRAINFLAMX™** gehad. Miskien het u dringende mediese hulp of hospitalisasie nodig.

Raadpleeg 'n gesondheidsorgpraktisyn as u enige mediese toestand het. Staak gebruik onmiddellik indien enige nadelige reaksie plaasvind. Lees hierdie inligtingsblad aandagdig teur, want dit bevat belangrike inligting vir u. Hierdie produk is beskikbaar sonder doktersvoorskrif.

- Hou hierdie inligtingsblad. Miskien moet u dit weer lees.
 - Moenie medisyne met enige ander persoon deel nie.
 - Vra jou apteker of jy meer inligting of advies benodig.
 - Jy moet 'n dokter raadpleeg indien jou toestand vererger of nie verbeter nie.
- MOENIE HIERDE PRODUK GEBRUIK NIE:**
- As jy hipersensitief (allergies) is vir enige van die bestanddele wat gelyk word.
 - Jy moet nie hierdie produk aanvaar as seëls gebreek word nie.

NEWE-EFFEKTE

Indien jou algemene gesondheid vererger of as jy enige nadelige effekte ervaar tydens die gebruik van hierdie medisyne, raadpleeg asseblief jou dokter, apteker of ander gesondheidsorgpraktisyn vir raad. As jy enige nuwe-effekte sien wat nie in hierdie inligtingsblad genoem word nie, stel asseblief jou dokter, apteker of gesondheidsorgpraktisyn in kennis.

BEKEUDE SIMPTOME VAN OORDOSEERING EN BESONDERHEDE VAN DIE

BEHANDELING DAARVAN Sien nuwe-effekte.

Behandeling: Staak gebruik en raadpleeg jou dokter, apteker of ander gesondheidsorgpraktisyn vir advies.

Bestanddele	Gebruik vir bestanddeel
L-Threonine	Ondersteun proteïensintese en weefselherstel.
Vitamiën B3 (Niacinamide)	Bevorder velgeseondheid en energieseindings.
Vitamiën E (as D-alfa-tokoferiëlasetaat)	Dien as 'n antioksidant om selle teen oksidatiewe stres te beskerm.
Hop strobluis (<i>Humulus lupulus L.</i>)	Hulpmiddels met ontspanning en slaapondersteuning.
Sink (as sinkbisglycinaat)	Ondersteun immuunfunksie en wondgeseining.
Vitamiën B5 (as kalsiumantihenaat)	Speel 'n rol in energieproduksie en stresreaksie.
Vitamiën B6 (as Pyridoxal-5-fosfaat)	Ondersteun breingeseondheid en neurotransmitterproduksie.
Vitamiën B1 (as tiamiendihydrochloried)	Hulpmiddels in energiemetabolisme en senuweestelsel.
Vitamiën B2 (as riboflavin)	Ondersteun energieproduksie en ooggeseondheid.
Vitamiën A (as beta-karoteen)	Bevorder visie, velgeseondheid en immuunfunksie.
Vitamiën H (as biotien)	Ondersteun gesonde vel, hare en naels.
Folaat (as kalsium-L-metiefolaat)	Hulpmiddels in DNA-sintese en rooibloedsewering.
Chroom (as chroompikolinaat)	Ondersteun bloedsuikerregulering en metabolisme.
Selenium (as L-selenometionien)	Bied antioksidantondersteuning en skildklier-geseondheid.
Molibdeen (as natriummolibdaat)	Hulpmiddels in ontgifting en ensiemfunksie.
Vitamiën D (as Cholecalciferol)	Ondersteun beengeseondheid en immuunfunksie.
Vitamiën B12 (as metielkobalamin)	Bevorder rooibloedsewering en senuweefunksie.

REGISTRASIE NOMMER

Om by registrasie deur SAHPRA toegeken te word. Hierdie medisyne is nie deur SAHPRA geëvalueer vir kwaliteit, veiligheid of beoogde gebruik nie.

NAAM EN BESIGHEIDSDRAGERS VAN APLIKANT

Versprei deur: Amipro Advanced Development Products (Pty) Ltd
Unit 3, Eastgate Business Park, 1 South Road,
Eastgate Extension, Sandton, 2146, Tel: 011-802-8101

DATUM VAN PUBLIKASIE

Om deur die regulerende owerheid toegeken te word.

